

Product and Accessory Guide

MODEL	Description	PAGE NO.
A10x4.8BEVM	Fujinon 10:1 zoom lens for 2/3" 3-CCD	10
A15x8BEVM	Fujinon 15:1 zoom lens for 2/3" 3-CCD	10
A16x9BE12U	Fujinon 16:1 zoom lens for 2/3" 3-CCD with 2x extender	31
A19x8.7B12U	Fujinon 19:1 zoom lens for 2/3" 3-CCD	10,31
A19x8.7BE12U	Fujinon 19:1 zoom lens for 2/3" 3-CCD with 2x extender	31
A19x8.7BWU	Fujinon 19:1 zoom lens for 2/3" 3-CCD and 16:9/4:3	31
A20x8BEVM	Fujinon 20:1 zoom lens for 2/3" 3-CCD	10
AA-G10U	AC adapter/4x NB-G1U battery charger	21,22,35,66
AA-P250U	AC adapter/charger for production cameras and camcorders, charges NB-G1U	10,21,22,35,57
AA-P700U	AC adapter for KY-F32U/55BU/70U and TK-C1380U/1270U/1070U/F7300U	39,40,41,44
AA-V112U	AC adapter and power cable for DZ-VCA1U	49,50
AA-V31U	Isolation transformer for DZ-VCA1U	49,50
AV-P700U	Visual presenter	92
AV-P750U	Visual presenter	90
BH-P27U	NB-G1/NP-B1U style Battery holder for KY Cameras and DY/GY Camcorders	10,21
BN-R368	Supplementary battery pack for XA-GP1BK Portable Audio ROM Player	88
BM-H1300SU	13 inch SMPTE phosphor reference color monitor	80
BM-H1900SU	19 inch SMPTE phosphor reference color monitor	80
BR-7020U(P)	Double loading VHS HI-FI duplicator	102
BR-7030UB	Triple loading VHS duplicator	105
BR-7040U	See SA-K7040UH upgrade kit for this Triple loading VHS duplicator	106
BR-7050UH	Triple loading VHS duplicator with auto cassette loader	106
BR-D40U	D-9 dockable field recorder	7,9,10,
BR-D50U	D-9 feeder/player	14,15
BR-D51U	D-9 and S-VHS feeder/player	14,15
BR-D52U	D-9 Four audio channel feeder/player (digital I/O option)	12,15
BR-D80U	D-9 editing recorder	13,15
BR-D85U /UNS	D-9 pre-read editing recorder (digital I/O)	13,15
BR-D92U	D-9 pre-read 4 audio channel editing recorder (digital I/O option)	12,15
BR-D350U	D-9 basic feeder/player	16,17
BR-D750U	D-9 basic editing recorder	16,17
BR-DV600U	Professional-DV Recorder/Player	20
BR-S422U	Professional-S dockable field recorder	56
BR-S500U	Professional-S JVC bus feeder/player	61
BR-S522DXU	22 series Professional-S feeder/player	59,60
BR-S525DXU	22 series Professional-S Variable tracking feeder/player	59,60
BR-S622DXU	22 series Professional-S recorder	58,60
BR-S777U	Triple loading duplicator HI-FI S-VHS/VHS	107
BR-S800U	Professional-S JVC bus editing recorder	61
BR-S822DXU	22 series Professional-S editing recorder	58,60
CB-500U	Carrying case for GY-DV500U	22
CB-27	Shipping case for DY-90U, DY-700U, KY-D29U/27CU/19U/GY-X2BU	35,57
CB-P27U	Carrying case for DY-90U, DY-700U, KY-D29U/27CU/19U/GY-X2BU	10,35,57

CB-P28U	Carrying case for GY-DV500U	21
CB-P29U	Carrying case for DY-90U, DY-700U, KY-D29U/27CU/19U/GY-X2BU	10
DCL-5	D-9 head cleaning tape	11
DH247	Earphone for XA-GP1BK Portable Audio ROM Player	88
DLA-C15U	D-ILA Video/data/graphics projector 1365x1024 1500 lumens (0% off axis lens for keystone)	95-98
DLA-G10U	D-ILA Video/data/graphics projector 1365x1024 1000 lumens (50% off axis lens for keystone)	95-98
DLA-G11U	D-ILA Video/data/graphics projector 1365x1024 1000 lumens, 350:1 contrast (50% off axis lens for keystone)	95-98
DLA-G15U	D-ILA Video/data/graphics projector 1365x1024 1500 lumens (50% off axis lens for keystone)	95-98
DLA-M15U	D-ILA Video/data/graphics projector 1365x1024 1500 lumens (30-55% off axis shift lens for keystone)	95-98
DLA-S10U	D-ILA Video/data/graphics projector 1365x1024 1000 lumens (0% off axis lens)	95-98
DS-34	34 minute D-9 tape	11
DS-64	64 minute D-9 tape	11
DS-104	104 minute D-9 tape	11
DS-124	2 hour (124 minute) D-9 tape	11
DT-V2000SU	20" DTV Reference monitor	46
DY-90U/DY-90WU	D-9 DSP 4:3 and 16:9/4:3 Camcorders	4,9,10
DY-700U	D-9 Camcorder	5,9,10
DZ-VCA1U	4:3 Micro head High Definition Camera	49
GD-V4200PZWG	42" 16:9 Plasma display monitor	93
GL-V61U	Microscope adapter for DZ-VCA1U	49,50
GL-V62U	1/2" Bayonet mount converter for DZ-VCA1U	49,50
GL-V63U	Endoscope adapter for DZ-VCA1U	49,50
GY-DV500U	1/2" CCD Professional-DV camcorder	20
GV-SCS1JU	SCSI Interface for DZ-VCA1U	49,50
GV-PT2U PRO	Multimedia Video printer	138
GY-X2BU	1/2" 3-CCD Professional-S camcorder	54
GY-X3U	1/3" 3-CCD Professional-S camcorder	55
HS-V1	JLIP Movie Player Pack/ computer control software for video printer and JVC still/camcorder	138
HV-M300VSU	30" DTV and Multi-scan Monitor	47
HZ-610MDU	Motorized zoom lens (6 mm-60 mm) for KY-55BU	41
HZ-615MDU	15:1 Motorized zoom lens (5 mm-7.5 mm) for KY-F55BU	41
HZ-FM13U	Manual focus control for Fujinon lenses	10,21,22,35,57
HZ-FM15U	Manual focus control Canon lenses	10,21,22,35,57
HZ-G6350U	Variable focal lens (3.5 mm-8.0 mm) for KY-F55BU, F58U	41,42
HZ-M161U	Nikon microscope adapter for KY-F55BU, F58U	41,42
HZ-M162U	Olympus microscope adapter for KY-F55BU, F58U	41,42
HZ-M163U	Zeiss microscope adapter for KY-F55BU, F58U	41,42
HZ-MC73U	2/3" lens adapter for 1/2" 3-CCD bayonet	33
HZ-ZS13BU	Zoom servo control (Fujinon/Canon lenses)	10,21,22,35,57
J9ax5.2BIRS	Canon 9:1 zoom lens (2x extender) for 2/3" 3-CCD	10

Product and Accessory Guide

140

J15ax8BIRS	Canon 15:1 zoom lens (2x extender) for 2/3" 3-CCD	10
J20ax8BIRS	Canon 20:1 zoom lens (2x extender) for 2/3" 3-CCD	10
KA-27U	Camera adapter for KY-D29U/D-29WU/27CU/19U	35
KA-111U	Adjustable flip out type chest brace for camera	35
KA-280U	Bulk connector for VC-P110 series cable, VC-P110U/P112U/P13U/P114U maximum extendable length between camera head and RM-P200E is 105 meters (VC-P110U+KA-280U+VC-P114U)	35
KA-300U	Headset for RM-P200U and KA-27U	35
KA-310U	Headset for RM-P300U CCU	35
KA-320U	Headset for RM-P270U Triax and KA-27U	35
KA-510U	Tripod mounting plate for KY-D29U/90U/35U/27CU/19U/ GY-X2BU/X3U	31,33
KA-A3U	Mic holder for GY-X3U	57
KA-A27E	Mic holder for KY-D29U/90U/35U/27CU/19U	31,33
KA-A30U	Mic holder for GY-X2BU	57
KA-A70U	Mic holder for DY-700U	10
KA-A90U	Mic holder for DY-90U	10
KA-B27U	Betacam BVV-5 adapter for KY-D29U/ D29WU/27CU/19U	35
KA-M20U	M-II adapter for KY-27CU/19U	35
KA-M50U	Pistol had grip for M-K50U allows the M-K50U microphone (hot shoe) to be operated in hand held fashion	33
KA-P20BU	Betacam PVV-3 adapter for KY-D29U/D29WU/27CU/19U	35
KA-P20U	Hi-8, Betacam VTR adapter for KY-D29U/D29WU/27CU/19U	35
KH-100U	16:9 1080i 2/3" 3-CCD HDTV Camera	48
KM-D600U	Y/C, digital effects, special effects generator	74
KY-19U	1/2" 3-CCD professional production camera	32,34
KY-D29U	4:3 2/3" 3-CCD digital processing production camera	30,34
KY-D29WU	16:9 and 4:3 switchable 2/3" 3-CCD digital processing production camera	30,34
KY-F32U	1/2" 3-CCD multi-purpose bayonet mount camera	40
KY-F55BU	1/3" 3-CCD multi-purpose C mount camera	41
KY-F58U	1/3" 3-CCD Separate head multi-purpose C mount camera	42
KY-F70U	1/2" Progressive Scan SXGA 3-CCD Digital Camera	39
LX-D700U	3 LCD computer/video projector 800x600	100
LX-D1000U	3 LCD computer/video projector 1024x768	99
MC-2100U	CD-ROM/DVD-ROM library 100 disc	110
MC-2200U	CD-ROM/DVD-ROM library 200 disc	110
MC-2600U	CD-ROM/DVD-ROM library 600 disc	110
MC-2100PU	CD-ROM/DVD-ROM library 100 disc with printer	110
MC-2200PU	CD-ROM/DVD-ROM library 200 disc with printer	110
MC-2600PU	CD-ROM/DVD-ROM library 600 disc with printer	110
MC-7100U	DVD-RAM library 100 disc	112
MC-7200U	DVD-RAM library 200 disc	112
MC-7600U	DVD-RAM library 600 disc	112
MC-D32U	CD-ROM reader	110
MC-D104	DVD-ROM Drive	110
MC-M15U	50 disc CD-ROM magazine	110
MC-R14U	CD-ROM writer	110
MC-R200U	DVD-RAM Drive	112

MC-W2650	DVD-RAM Disc	112
MDV-12CL	DV cleaning tape	22
MDV-30MEAU	DV tape 30 minutes	22
MDV-60MEAU	DV tape 60 minutes	22
MI-1200U	Rack mount audio mixer AC/DC	76
MI-3000U	10-channel audio mixer with VCA units	75
MI-F30U	Auto fader for MI-3000	75
M-K50U	"Hot shoe" microphone for KY-27CU/19U/GY-X2BU cameras mounts to side of camera without cable. Power is provided by the camera	28
MV-P612U	Stereo microphone for KY-27CU/19U/GY-X2BU/DY-700U	10,35,57
MV-P615U	Monaural microphone for KY-D29U, DY-90U, and GY-DV500U	5,10,21,22,35
MV-P616U	Monaural microphone for KY-27CU/19U/ GY-X2BU/DY-700U/DY-90U	5,10
MW-D10U	Media Workstation SDI input/output board	26,28
MW-D30U	Media Workstation 3D DVE board	26,28
MW-S1000U	TimeGate Media Workstation Non-linear editing system	23
NB-G1U	Rechargeable battery pack (DC 12 V, 22 Ah) for TM-550SU, BR-D40U/S422E, DY-90U, DY-700U, KY-D29U/27CU/19U, GY-X2BU/X3U and GY-DV500U	21,22,35,57,66
OA-C201U	Wireless infrared LAN S-satellite (ceiling)	113
OA-C202U	Wireless infrared LAN W-satellite (wall)	113
OA-M101U	Wireless infrared LAN standard-node	114
OA-M201U	Wireless infrared LAN M-node	114
OA-M202U	Wireless infrared LAN M-node card (PCMCIA)	114
OA-N101U	Wireless infrared LAN station (point to point)	114
PV-25SFSAUP	25 sheets sticker label and ink cartridge for GV-PT2U PRO video printer	138
PV-50SFSAUP	50 sheets paper and ink cartridge for GV-PT2U PRO video printer	138
QRO-27	Anton Bauer battery adapter (Anton Bauer product) for KY cameras and DY/GY camcorders	10
RM-713MDU	Lens remote control unit for KY-F32U	40
RM-C550W	Wireless remote controller for BM-H1900SU/BM-H1300SU	80
RM-G22U	D-9 TBC remote control unit	16,18
RM-G30U	Serial remote control unit for VTR and Timelapse VTR	66,108,131-135
RM-G77U	Serial remote controller for Duplication VTR	67,108
RM-G800U	Cuts editing, JVC bus editing controller	62,73
RM-G805U	A/B Roll editing, JVC bus editing controller	62,72
RM-G820U	RS-422 D-9 pre-read editing controller	18,70
RM-G860U	A/B roll RS-422, parallel editing controller	73
RM-G870U	Multi-event RS-422A A/B roll editing controller	18,71
RM-LP35U	Direct remote control panel for RM-P270U/RM-P350U, RM-P300U and KY cameras/DY camcorders	35,36,37
RM-LP55U	Direct remote control unit for KY-F32U/ F55BU, and GY-DV500U Professional-DV Camcorder	22,40,41
RM-LP57U	Rack mount direct remote control unit for KY-F32U/F55BU	40
RM-LP80U	Direct remote control panel for RM-P270U/ RM-P350U and KY cameras and DY camcorders	35,36
RM-P200U	Multicore remote camera control system	26,28,31,37
RM-P270U	Triaxial remote camera control system for KY-D29U/D29WU/27CU/19U	36

Product and Accessory Guide

RM-P300U	Multicore remote camera control system	37
RM-P350U	Triaxial remote camera control system for KY-35U/90U	36
RM-P2580U	8 Dome camera remote control system with switcher	119
S-8375	5 V DC adapter for V.NETWORKS	115
S14x7.3B12U	Fujinon 14:1 zoom lens for 1/2" 3-CCD	21,22
S14x7.5B12U	Fujinon 14:1 zoom lens for 1/2" 3-CCD	10,33,57
S14x7.5BMDU	Fujinon 14:1 zoom lens for 1/2" 3-CCD	40
S16x76.7B12U	Fujinon 16:1 zoom lens for 1/2" 3-CCD	21
S19x6.5B12U	Fujinon 19:1 zoom lens for 1/2" 3-CCD	10,21,22,33,57
SA-CP11U	S-VHS-C cassette adapter	67
SA-D50U	Serial digital interface for D-9 BR-D50U/ BR-D51U/BR-D350U	14,16,18
SA-D52U	Serial digital interface for D-9 BR-D52U	12,18
SA-D80U	Serial digital interface for D-9 BR-D80U/BR-D750U	13,16,18
SA-D92U	Serial digital interface for D-9 BR-D92U	12,18
SA-E68U	Plug-in Y/C 688 output board for 22 series	68
SA-K14U	Plug-in ID code generator for BR-7030UB/BR-7040UB	108
SA-K26U	RS-422 interface board for BR-S800 series	67
SA-K27UA	RS-232C remote board for 22 series/BR-S800 series	68
SA-K28UA	45 pin remote board for 22 series and BR-S800 series	68
SA-K37U	RS 232C/time code remote board for 22 series and BR-S800 series	68
SA-K50U	SA-R50 adapter board for BR-S800 series	67
SA-K63UB	White rack mount kit for 22 series VTR	68
SA-K65U	Rack mount kit for BR-S800 series	67
SA-K66U	Rack mount adapter for RM-G820/G860/G870	70,71
SA-K67U	Black rack mount adapter for D-9 VTR	12,13,14,16,18
SA-K80U	10 numerical/function keypad for RM-G820	70
SA-K97U	RS-232C interface kit for Timelapse VTR	131-137
SA-K721U	Checkout connector for BR-7020U(P)	108
SA-K722U	Test point unit for BR-7020U(P)	108
SA-K723U	Multi control/display unit for BR-7020U(P) and BR-7050UH	108
SA-K725U	Duplication quality control verifier for BR-7020U(P)	103
SA-K7040UH	Upgrade mechanism/circuit kit for BR-7040U Triple loading VHS duplicator w/auto cassette loader	106
SA-L30U	Auto cassette loader for BR-7040UB/BR-7050UH	108
SA-L50U	Auto cassette loader for BR-7020U(P)	108
SA-LH50U	Cassette holder of SA-L50U	108
SA-N22W	S-VHS digital noise reducer board for SA-T22U	68
SA-N50U	S-VHS digital noise reducer board for 800 series	67
SA-R22U	Time code generator/reader for 22 series S-VHS	68
SA-R50U	SMPTE time code generator/reader board for 800 series S-VHS	67
SA-R200U	Time code generator for BR-S422U, GY-X2BU	54,56,57,67
SA-S40U	Stand-alone adapter for BR-D40U D-9 docking deck	7
SA-T22U	TBC board for 22 series S-VHS	68
SB-X3	Soft carrying bag for GY-X3	57
SCV2034-004	Tripod base plate	21

SSA1205A9	AC adapter for XA-GT11TN Infrared address transmitter	89
ST-C20/30PRO	S-VHS-C professional tape (20/30 min.)	65
ST-30PRO	Professional-S cassette tape (30 min.)	65
ST-60PRO	Professional-S cassette tape (60 min.)	65
ST-120PRO	Professional-S cassette tape (120 min.)	65
SR-9168U	VHS 10 Day (240-hour) video/audio Timelapse recorder	133
SR-9080U	VHS 40 Day (960-hour) video/audio Timelapse recorder	134
SR-L910U	24 hour video/audio timelapse recorder	131
SR-L911U	"Realtime" timelapse recorder	132
SR-S365U	S-VHS editing player/recorder	62
SR-S970U	S-VHS 40 day (960 hour) video/audio Timelapse recorder	131
SR-TS1U	S-VHS Hi-Fi Stereo Video Cassette Recorder	63
SR-T5U	VHS Hi-Fi Video Cassette Recorder	64
SR-W7U	HDTV W-VHS Recorder/Player	51
T14x5.5MD	Motorized 14x zoom lens for KY-F55U, KY-F58U	41,42
TK-1270U	1/2" CCD computer imaging camera	43
TK-C400U	Color high sensitivity 1/3" CCD, DSP, 24 V AC 12 V DC camera	124
TK-C420U	Color high resolution 1/3" CCD, DSP, 24 V AC 12 V DC camera	124
TK-C675BU	Dome 1/3" CCD color camera	118
TK-C1360BU	RS-422 control, frame integration, DSP multi-purpose color 1/2" CCD, 24 V AC 12 V DC camera (Y/C output)	121
TK-C1380U	Multi-purpose color 1/2" CCD, 24 V AC 12 V DC camera	122
TK-N1100U	Twin 1/3" CCD color/infrared CCDs camera	108
TK-S140U	B&W single cable video/power camera	127,129
TK-S241U	24 V AC 12 V DC black and white camera	127
TK-S250U	24 V AC 12 V DC black and white high resolution camera	126
TK-S340U	120 V AC black and white camera	127
TM-123U	14" black and white video only monitor	130
TM-923U	9" black and white video only monitor	130
TM-910SU	9" AC/DC field/studio color monitor	79
TM-1400SU	14" production/general A/V color monitor	83
TM-1600SU	16" production/general A/V NTSC/PAL color monitor	82
TM-1650SU	16" Reference NTSC/PAL color monitor	81
TM-2000SU	20" production/general A/V NTSC/PAL color monitor	82
TM-2099U	20" Stereo Monitor/Receiver	86
TM-2799U	27" Stereo Monitor/Receiver	86
TM-9043U	4 channel 9" black and white video-only monitor with camera power for TK-S140U camera	129
TM-A9U	9" dual rack mountable A/V color monitor	85
TM-A9U(CV)	9" dual rack mountable Video-only color monitor	85
TM-A13SU	13" A/V NTSC/PAL color monitor	84
TM-A130SU	13" A/V NTSC/PAL metal case color monitor	84
TM-L450PN	4.5" AC/DC, LCCS field/studio color monitor	78
TP-P300	Tripod	21
TS-C420P1W	Horizontal/Vertical Stand unit for GD-V4200PZWG	94

Product and Accessory Guide

142

TS-C420P2W	Wall mounting unit for GD-V4200PZWG	94
TS-C420P3W	Ceiling mounting unit for GD-V4200PZWG	93
TS-C42P6W	Wide video card for GD-V4200PZWG	93
VC-451-2U	Camera cable (RGB camera cable to RGB to monitor 2m)	42,44
VC-452U/4U	Camera cable (RGB camera cable to graphic board 2/4m)	44
VC-463-2U	Camera cable (RGB camera cable to graphic board 2m)	44
VC-464-4U	Camera cable (RGB camera cable to TargaPlus+ 4m)	44
VC-710U	DC Power cable (4-pin XLR to 4-pin XLR connector) 5m	21
VC-BK20	Ceiling Bracket for V.NETWORKS VN-C2U	115
VC-G30U	Y/C cable (4-pin s connector to 4-pin s connector) 3m	66
VC-G50U	Y/C cable (4-pin s connector to 4-pin s connector) 5m	66
VC-G723U	Cable to SA-K723U Multi-display unit from Triple loading VHS duplicator BR-7050UH	108
VC-G1015U	Y/C cable (7-pin male to 7-pin female) 1.5m	66
VC-G1025U	Y/C cable (7-pin male to 7-pin female) 2.5m	66
VC-G1035U	Y/C cable (7-pin male to 7-pin female) 3.5m	66
VC-G1050U	Y/C cable (7-pin male to 7-pin female) 5m	66
VC-G2030U	Y/C cable (7-pin male to 4-pin s type) 3m	66
VC-G2050U	Y/C cable (7-pin male to 4-pin s type) 5m	66
VC-G3030U	Y/C cable (4-pin s type to 7-pin female) 3m	66
VC-G7050U	45p-45p control cable (parallel), 5m	66
VC-G8030U	12p-12p JVC bus control cable, 3m	62,66,71,72
VC-9050U	RS-422A 9p male to 9p male control cable, 5m18, 66,70,71	
VC-P110U	Multicore camera cables, 26p-26p. VC-P110U, 5m VC-P112U, 20m VC-P113U, 50m VC-P113U, 50m VC-P114U, 100m	35,37
VC-P454BU (4m)	VTR cable (26p-26p) for KY-D29U/90U/35U/27CU/19U with balanced audio for D-9/Betacam /M-II recorders	7,31,33
VC-P462U (2m)		
VC-P464U (4m)	VTR cable (26p-10p) between KY-D29U/90U/35U/27CU/19U and 10 pin VCR	31,33
VC-P472U (2m)		
VC-P474U (4m)	VTR cable (26p-14p) for KY-D29U/90U/35U/27CU/19U with balanced audio for 14 pin type U-matic VTR	31,33
VC-P482U(2m)		
VC-P484U(4m)	VTR cable (26p-14p) for KY-D29U/90U/35U/27CU/19U with balanced audio for 14 pin type S-VHS VTR	31,33
VC-P710U	4pin-4pin power cable (5 m)	31,33
VC-P740U	MK-50U, MV-P602U microphone cable	33

VC-P805U	Camera cable for KY-F58U 16.4 ft/5 m (standard)	42
VC-P810U	Camera cable for KY-F58U32.8 ft/10 m (option)	42
VC-P891U	RS-232C interface cable for PC for KY-D29U/D29WU/27CU/19U	35
VC-P892U	RS-232C interface cable for Macintosh for KY-D29U/D29WU/27CU/19U	35
VC-P893U	RS-232C interface cable for PC for KY-F32U/F55U/70U/GY-DV500U	21,22,39,40,41
VC-P894U	RS-232C interface cable for Macintosh for KY-F32U/F55U/70U/GY-DV500U	21,22,39,40,41
VC-V3U	3 m camera cable for DZ-VCA1U	49,50
VC-V10U	10 m camera cable for DZ-VCA1U	49,50
VF-P115U	1.5" B&W viewfinder for production cameras and Camcorders	10,21,22,35
VF-P116U	1.5" 4:3 B&W viewfinders for production cameras and camcorders ruggedly designed viewfinder with up/down, left/right functions, diopter and hot-shoe connection	10,21,22,35
VF-P116WU	1.5" 16:9/4:3 switchable B&W viewfinders for 16:9/4:3 production cameras and camcorders ruggedly designed viewfinder with up/down, left/right functions, diopter and hot-shoe connection	10,35
VF-P400U	4" B&W studio viewfinder for KY cameras and DY/GY camcorders. For OB van or studio use	10,21,22,35,57
VF-P550BU	5.5" 4:3 studio viewfinder for KY cameras and DY camcorders. High-resolution studio viewfinder provides a full scan image with normal scan indication on screen. Has pan&tilt.	10,35
VF-P550BWU	5.5" 16:9/4:3 switchable B&W studio viewfinder for KY cameras and DY Camcorders. High-resolution studio viewfinder provides full scan image with normal scan indication on screen. Has pan&tilt.	10,35
VN-C1	V.NETWORKS Ethernet camera system	115
VN-C2	V.NETWORKS Ethernet camera system with integrated pan \ tilt	115
WT-120HA/WT-180HA	W-VHS 120/180 minute HDTV video tape	51
XA-GC20BK	Battery Charger for XA-GP1BK Portable Audio ROM Player	89
XA-GP1BK	Portable Audio ROM Player	88
XA-GT1TN	Infrared address transmitter for XA-GP1BK Portable Audio ROM Player	89
YH14x6.7K12U	Canon 14:1 zoom lens for 1/2" bayonet 3-CCD camera	21
YH14x7.3K12U	Canon 14:1 zoom lens for 1/2" bayonet 3-CCD camera	21
YH14x7.3KRS	Canon 14:1 zoom lens for 1/2" bayonet 3-CCD camera	10,22,33,57
YH18x6.7K12U	Canon 18:1 zoom lens for 1/2" bayonet 3-CCD	10,22,33,57
YJ18x9BK12U	Canon 18:1 zoom lens for 2/3" bayonet 3-CCD	10,31